



**The ultimate articulated dump truck. Bergmann C815s.**



**Bergmann. Built for you.**



Made in Germany.

**BERGMANN**  
**AMERICAS**



# Bigger. Faster. Better.

**Bergmann  
C815s.**

Move more  
for less.





# Superlative technology, impressively delivered. Safe, comfortable, long-lasting.

The Bergmann C815s combines safety and ride comfort at the very highest level. It demonstrates that safety, efficiency, off-road capability and driving comfort all go together perfectly. As well as the very highest standards of operational safety, the C815s design makes industrial health and safety a top priority.

## One of a kind

The rotatable operators console option is unique in its class. With top visibility, it offers a forward speed of 25 mph and a reverse speed of 19 mph, making it a top performing ADT, even on cramped job sites.

## Proven reliability for over 10 years:

- Drainage and road building
- Underground and tunnel construction
- Energy supply (track construction)
- Gardening and landscaping
- Land improvement
- Pipeline laying
- Quarrying
- Sports ground construction



Cabin with optional swivel console and intuitive operability.



Good access to all maintenance points with the patented hood system.



Articulated swivel joint with stabilization cylinder.

# The result of our longstanding experience, innovation and quality.

## Operator friendly

Comfort cabin with well-designed joystick, allowing all functions to be operated with one hand. This ensures increased safety and comfort, not to mention greater comfort in the workplace.

## Safe and easy to maintain

The central electrics and climate control technology is positioned in such a way that it can be accessed at any time.

## Economical and climate-friendly

Powerful Cummins engine for fuel-efficient, low-emission use in line with current emission regulations.

## Quick working

Suspended front axle for comfortable working even at high speeds (25 mph forwards and 19 mph backwards).

## Optimal servicing times

Great accessibility due to the patented hood system. All filters can be reached from the ground via the wide-opening bonnet.

## Economical transport of materials

Depending on the place of use and material, you can choose between rear, three-way or swivel dumps.

## Low ground pressure

Optimum ground pressure is ensured at all times by a wide range of tires for different types of terrain.

## Well protected

The articulated pendulum joint with stabilization cylinder ensures optimum traction and high stability over the ground. It also provides greater safety while working.





# Bigger. Faster. Better.

You know their machine, right?



Conventional compact tipper

- + 20 % payload
- + 43 % load volume
- + 31 % efficiency\*
- + 50 % effectiveness\*

You should know this one!



Bergmann C815s

\* Results of a field test in autumn 2017.

**Efficiency** = transported material in m<sup>3</sup> per liter of fuel.

**Effectiveness** = transported material in m<sup>3</sup> for operating time.



**Saves time and money.**  
Because it simply performs better.  
**Bergmann C815s. Try it now!**

## Technical specifications

Bergmann C815s with swivel dump

<b>Payload</b>	<b>12,000 kg</b>	<b>26,455 lb</b>
<b>Capacity heaped</b>	<b>8.0 m<sup>3</sup></b>	<b>10.5 yd<sup>3</sup></b>
Total length	7,129 mm	23.39 ft
Total width	2,760 mm	9.06 ft
Clearance height without beacon light	3,028 mm	9.93 ft
Ground clearance	424 mm	1.39 ft
Dumping height	1,441 mm	4.73 ft
Load height (front)	2,273 mm	7.46 ft
Engine power	119 kW	159.58 hp
Empty weight	11,101 kg	24,422 lb

# Moves the most, regardless of the type of dump body used.



**C815s**  
Swivel-tip dumper




**C815s**  
Rear tip dumper



**C815s**  
Three-way dumper

What designs do you have  
in mind for your Bergmann?



**Drive the difference. Bergmann C815s.**  
[bergmannamericas.com](http://bergmannamericas.com)

**Bergmann. Built for you.**



Made in Germany.

**Bergmann Americas, Inc**  
160 Conway Black Road | Spartanburg, SC 29307  
Phone +1 864-707-0080 | [sales@bergmannamericas.com](mailto:sales@bergmannamericas.com)  
[www.bergmannamericas.com](http://www.bergmannamericas.com)

**BERGMANN**  
**AMERICAS**